




3.2(b) Elevation of Fully Panelled Single Leaf Door (Oct. 2015)





**FRAMED & PANNELLED DOOR
(SINGLE LEAF)**



SECTION ON AB


NAME :	
PLATE NO. :	DATE :
ALL DIMENSIONS IN mm. NOT TO SCALE	

3.2(c) Elevation of Flush Door



**ISOMETRIC VIEW OF LAMINATED
FLUSH PANELLED SHUTTER
SHOWING INNER CONSTRUCTION**

ELEVATION



SECTION AT XX


NAME :

PLATE NO :

DATE :


ALL DIMENSIONS IN mm, NOT TO SCALE

3.2(g) Elevation of King Post Roof Truss (April 2013)




NAME :	
PLATE No. :	
DATE :	
ALL DIMENSIONS IN mm , NOT TO SCALE	


3.2(h) Elevation of Steel Roof Truss



4.8. A SMALL RESTAURANT BUILDING WITH R.C.C FLAT ROOF (Oct. 2015)




400 450 2100 1000 600
200 450 120




WEATHERING COURSE, 75 TK
 ROOFING WITH C.C. 1:1 1/2:3, 120 TH
 BRICK WORK IN SUPER STRUCTURE
 WITH C.M. 1:5, 200 THICK
 LINTEL CUM SUNSHADE, 150 THICK
 FLOOR FINISH WITH C.M. 1:3, 20 TH
 D.P.C. WITH C.M. 1:3, 20 THICK
 RR MASONRY IN FOUNDATION AND
 BASEMENT WITH C.M. 1:5
 CEMENT CONCRETE FOR
 FOUNDATION, 1:3:6, 200 THICK
 FLOORING WITH CEMENT
 CONCRETE, 1:4:8, 130 THICK
 SAND FILLING, 300 THICK

ELEVATION

SECTION ON AB



PLAN



LINE PLAN


REFERENCE		
TYPE	DESCRIPTION	SIZE
RS	ROLLING SHUTTER	2000 x 2100
D	PANELLED DOOR	1200 x 2100
W	GLAZED WINDOW	1200 x 1500
ARCH	R.C. JOLLY WORK ARCH OPEN	1800 x 1500 1800 x 2100
STEPS	RISE	150
	TREAD	300

NAME : _____


PLATE No. : _____ DATE : _____

ALL DIMENSIONS ARE IN MM, NOT TO SCALE

4.7. A VILLAGE LIBRARY BUILDING WITH R.C.C FLAT ROOF




ELEVATION




SECTION ON AB

- PARAPET WALL
- WEATHERING COURSE, 75 THICK
- ROOFING WITH C.C. 1:1½:2, 100 THICK
- LINTEL CUM SUNSHADE
- BRICK WORK IN SUPER STRUCTURE WITH C.M. 1:5, 200 THICK
- FLOOR FINISH WITH C.M. 1:3, 20 THICK
- R.R. MASONRY IN FOUNDATION AND BASEMENT WITH C.M. 1:5
- CEMENT CONCRETE FOR FOUNDATION, 1:4:8, 200 THICK
- FLOORING WITH CEMENT CONCRETE, 1:4:8, 150 THICK
- SAND FILLING, 450 THICK



PLAN





LINE PLAN

REFERENCE	
DOORS	B - 1200 x 2100, FULLY PANELLED B ₁ - 900 x 2100, FULLY PANELLED B ₂ - 750 x 2100, FULLY PANELLED
OPEN WINDOWS	D - 1200 x 2100, W - 1200 x 1200, FULLY GLAZED V - 750 x 900, FULLY GLAZED
STEPS	TREAD - 300, RISE - 100.

NAME	:	DATE
PLATE No.	:	

ALL DIMENSIONS ARE IN MM, NOT TO SCALE

4.6. A PRIMARY HEALTH CENTER FOR RURAL AREA WITH R.C.C ROOF.



SLOPED ROOFING WITH
C.C. 1:2:4, 100 THICK

PARAPET WALL

WEATHERING COURSE, 75 THICK
ROOFING WITH C.C. 1:2:4, 100 TH.

BRICK WORK IN SUPER
STRUCTURE WITH C.M. 1:5, 200 TK.

LINTEL CUM SUNSHADE.

FLOOR FINISH WITH C.M. 1:3:20 TK

RR MASONRY IN FOUNDATION AND
BASEMENT WITH C.M. 1:5



CEMENT CONCRETE FOR
FOUNDATION, 1:4:8, 200 THICK

FLOORING WITH CEMENT
CONCRETE, 1:4:8, 150 THICK

SAND FILLING, 750 THICK

ELEVATION



SECTION ON AB




REFERENCE

DOORS	D - 1500 x 2100, FULLY PANELLLED D ₁ - 1000 x 2100, FULLY PANELLLED
OPEN	O - 1500 x 2100.
WINDOWS	W - 1200 x 1200, FULLY GLAZED V - 750 x 600, FULLY GLAZED
STEPS	TREAD - 300, RISE - 100.


4.2. A HOUSE WITH SINGLE BED ROOM AND ATTACHED BATHROOM WITH R.C.C. FLAT ROOF.



- WEATHERING COURSE, 75 THICK
- ROOFING WITH C.C. 1:1 1/2:3, 100 THICK
- BRICK WORK IN SUPER STRUCTURE WITH C.M. 1:5, 200 THICK
- LINTEL CUM SUNSHADE, 150 THICK
- FLOOR FINISH WITH C.M. 1:3, 20 THICK
- D.P.C. WITH C.M. 1:3, 20 THICK
- BRICK WORK IN FOUNDATION AND BASEMENT WITH C.M. 1:5
- CEMENT CONCRETE FOR FOUNDATION, 1:4:8, 200 THICK
- FLOORING WITH CEMENT CONCRETE, 1:4:8, 150 THICK
- SAND FILLING, 450 THICK



PLAN




LINE PLAN


REFERENCE		
TYPE	DESCRIPTION	SIZE
D	DOOR - PANELLLED	1000 x 2100
D ₁	DOOR - PANELLLED	900 x 2100
D ₂	DOOR - PANELLLED	750 x 2100
W ₁	WINDOW - GLAZED	1500 x 1200
W ₂	WINDOW - GLAZED	1500 x 750
V	VENTILATOR (GLAZED)	750 x 600
J	R. C. JOLLY	1500 x 1200
CB	CUPBOARD	300 DEPTH
STEPS	RISE	150
	TREAD	250

NAME :
 PLATE No. :
 DATE :
 ALL DIMENSIONS ARE IN mm. NOT TO SCALE


ELEVATION OF FULL PANNELED DOUBLE LEAF DOOR



SECTION ON C



ELEVATION OF FULLY PANELLED WINDOW WITH GRILL



ELEVATION OF PARTIY GLAZED AND PARTLY PANELLED WINDOW

